
P5 – Posters Friday

| | | |
|--------|---------------------|--|
| P5.101 | L. Delgado-Aparicio | Locked-mode avoidance and recovery without momentum input |
| P5.102 | R. Kube | Fluctuation statistics in the scrape-off layer of Alcator C-Mod |
| P5.103 | T. Minami | Comparison of electron internal transport barrier formation between CHS and Heliotron J |
| P5.104 | D. Maurer | Island Divertor Modeling and Design for the Compact Toroidal Hybrid |
| P5.105 | Q. Ren | Test of bootstrap current models using high beta _p EAST-demonstration Plasmas on DIII-D |
| P5.106 | Y. Camenen | Turbulence stabilisation by parallel flows for the DIII-D shortfall case |
| P5.107 | R. Pinsker | Comparison of ray-tracing and full-wave code modeling of helicon heating and current drive in DIII-D |
| P5.108 | X. Chen | Understanding the physics of EHO in QH-mode on DIII-D including the role of rotation shear |
| P5.109 | D. Hill | Divertor detachment studies in DIII-D |
| P5.110 | N. Taylor | Measurements of the perturbed rotation in slowly rotating tearing mode islands in DIII-D |
| P5.111 | A. Briesemeister | Measurements of the effects of RMPs on divertor plasmas in DIII-D |
| P5.112 | W. Solomon | Development and exploitation of high pedestal super h-mode regime |
| P5.113 | A. Bortolon | High frequency ELM pacing by lithium pellet injection on DIII-D |
| P5.114 | Z. Yan | Enhanced H-mode pedestals with increased density fluctuations during lithium aerosol injection in DIII-D |
| P5.115 | D. Rudakov | Turbulent SOL transport and power balance in DIII-D L-mode discharges |
| P5.116 | E. Hollmann | Characterization of heat loads from mitigated upward or downward VDEs in DIII-D |
| P5.117 | A. Diallo | Inter-ELM pedestal evolution and the role of edge fluctuations in tokamaks |
| P5.118 | P. Zanca | Avoidance of m=2, n=1 tearing mode wall-locking by torque-balance control with magnetic feedback in DIII-D and RFX-mod |
| P5.119 | Y. Sun | Observation of Mitigation of Edge Localized Modes by Resonant Magnetic Perturbation on EAST |
| P5.120 | S. Zhang | Density fluctuations and particle pump out in neutral beam injection (NBI) plasmas on EAST |
| P5.121 | X. Zhang | Estimation of the current driven by residual loop voltage in LHCD Plasma on EAST Tokamak |
| P5.122 | F. Wang | Characteristics and mechanism of toroidal acceleration and rotation in EAST and J-TEXT Ohmic L-mode plasmas |
| P5.123 | A. Saveliev | Dynamic lower hybrid current drive modeling for the FT-2 tokamak |
| P5.124 | S. Murakhtin | Experimental observation of ion axial losses during the Alfvén ion-cyclotron instability in the GDT mirror device |
| P5.125 | N. Sakharov | NBI experiments with different plasma-beam isotopic combinations on Globus-M |
| P5.126 | V. Minaev | Study of the NBCD in the spherical tokamak Globus-M |

| | | |
|--------|------------------|--|
| P5.127 | N. Bakharev | Modeling of the fast ion behavior in the Globus-M spherical tokamak |
| P5.128 | M. Patrov | Experimental scaling of reconnections in a spherical tokamak |
| P5.129 | A. Ibliaminova | Plasma investigation using SPD XUV silicon photodiodes on the Globus-M tokamak |
| P5.130 | V. Postupaev | GOL-NB project: new multiple-mirror trap with NBI-heated plasma |
| P5.131 | N. Kemmochi | First observation of an electron internal transport barrier in Heliotron J |
| P5.132 | Y. Ohtani | Temporal evolution of high-density plasmas produced by advanced fuelling techniques in Heliotron J |
| P5.133 | P. Fflis | Basis for a Toroidal Lithium Limiter in HIDRA (formerly WEGA) |
| P5.134 | M. Nagata | Plasma start-up by using transient coaxial helicity injection on HIST |
| P5.135 | W. Chen | Fishbone Instability Triggered Nonlocal Transient Transport in HL-2A NBI Plasmas |
| P5.136 | Y. Xu | Investigation of non-local heat transport and its interplay with neoclassical tearing modes in the HL-2A tokamak |
| P5.137 | X. Bai | Coupling optimization experiment on HL-2A based on Passive-Active Multijunction antenna for 3.7GHz Lower Hybrid system |
| P5.138 | D. Yu | Formation mechanism of ion internal transport barrier on HL-2A |
| P5.139 | L. Xue | VDE simulation of the snowflake divertor configuration in HL-2M |
| P5.140 | G. Zhuang | Studies of high density disruptions on the J-TEXT tokamak |
| P5.141 | I. Liu | Excitation and Exploration of Beta-induced Alfvén Eigenmodes on J-TEXT Tokamak |
| P5.142 | Q. Hu | Controlling disruption precursors by using resonant magnetic perturbations on J-TEXT tokamak |
| P5.143 | J. Wu | The measurement of Geodesic Acoustic Mode magnetic field oscillations in J-TEXT tokamak |
| P5.144 | T. Wakatsuki | Current ramp-up scenario with reduced central solenoid magnetic flux consumption in JT-60SA |
| P5.145 | N. Hayashi | Advance in integrated modelling towards prediction and control of JT-60SA plasmas |
| P5.146 | H. Urano | Dependence of pedestal structure on collisionality in JT-60U |
| P5.147 | V. Borzosekov | Plasma density fluctuations and turbulent thermal fluxes in the transient process at ECH in the L-2M stellarator |
| P5.148 | A. Meshcheryakov | Formation of non-Maxwellian SXR spectra at various plasma parameters and ECRH power at the L-2M stellarator |
| P5.149 | T. Maekawa | Modeling of non-inductive current generation upon superposition of vertical field on EC heated plasmas in the LATE device |
| P5.150 | K. Kuroda | Observation of toroidal and vertical currents in EC heated plasmas under vertical field in the LATE device |
| P5.151 | H. Zhang | Correlation study between two-dimensional impurity distribution and edge magnetic structure in Large Helical Device |
| P5.152 | T. Oishi | Observation of asymmetric radial profile of tungsten ions in low ionization stages located in edge plasmas of Large Helical Device |
| P5.153 | I. Yamada | Electron temperature measurements using the LHD Thomson scattering |

| | | |
|--------|----------------|---|
| | | system having four scattering configurations |
| P5.154 | S. Kamio | Study of ICRF heating characteristics of various antenna in the Large Helical Device |
| P5.155 | P. Vincenzi | NBI modelling by upgraded TASK3D-a code in preparation of LHD deuterium campaigns |
| P5.156 | K. McCarthy | Comparative study of pellet fuelling in 3-D magnetically confined plasma devices |
| P5.157 | J. Anderson | Energetic ion confinement, stability, and effects in the reversed field pinch |
| P5.158 | N. Kirneva | Response of plasma confinement to off-axis ECCD in T-10 tokamak |
| P5.159 | L. Eliseev | The study of the large-scale tearing mode and its effect on the GAM in the T-10 tokamak |
| P5.160 | R. Solomatin | Characteristics of turbulence and electric fields in the peripheral plasma of the T-10 tokamak |
| P5.161 | L. Klyuchnikov | Measurements of impurities concentrations using modernized CXRS diagnostics of T-10 |
| P5.162 | V. Kornev | Fast ions capture and confinement in NBI experiments in TUMAN-3M |
| P5.163 | A. Belokurov | Hydrogen pellet initiated H-mode in TUMAN-3M tokamak |
| P5.164 | A. Tukachinsky | Alfven oscillations in ohmically heated plasmas in TUMAN-3M |
| P5.165 | M. Koepke | Development of magnetically insulated baffled probe cluster for measurement of energy flux and particle flux in the Texas Helimak |
| P5.166 | L. Schmitz | Connecting microscopic L-H transition physics to the power threshold |
| P5.167 | W. Guo | Collisionless damping of geodesic acoustic mode in rotating toroidal plasma |
| P5.168 | A. Grabovskiy | Ion velocity distribution function in the plasma of own gas |
| P5.169 | G. Pokol | Application limits of runaway electron modeling based on analytical formulas of generation and loss rates |
| P5.170 | S. Futatani | Dynamic equilibria and MHD instabilities in toroidal plasmas with non-uniform transport coefficients |
| P5.171 | D. Pace | Resonance of energetic particle instabilities during frequency chirping |
| P5.173 | S. Lashkul | Helium fuelling for edge plasma parameters control in the thermonuclear experiments |
| P5.174 | E. Gusakov | Turbulence wave number spectra reconstruction from radial correlation Doppler reflectometry data |
| P5.175 | A. Voronin | Experimental studies of cyclical plasma effects on tungsten |
| P5.176 | E. Kaveeva | Modeling of impurity distribution and radial transport in the H-mode edge plasma |
| P5.177 | A. Grabovskiy | 3D probe diagnostics of plasmas |
| P5.178 | V. Pustovitov | Analytical evaluation of the forces during fast current quenches in tokamaks |
| P5.179 | N. Timchenko | Transport barriers and MHD activity, leading to internal disruptions |
| P5.180 | N. Ivanov | Simulation of resonant magnetic field penetration dynamics with the TEAR code |

| | | |
|--------|-------------------|---|
| P5.181 | P. Sdvizhenskii | Complex diagnostics of electron velocity distribution with Thomson scattering and electron cyclotron emission in tokamaks |
| P5.182 | A. Kukushkin | A Model of recovering the fast nonlocal transport parameters in magnetic fusion plasmas |
| P5.183 | D. Mironov | Analytical model of wall force produced by kink modes combined with plasma vertical displacement |
| P5.184 | W. Lee | Velocity Space Nonlinearity and Steady State Transport |
| P5.185 | S. Jardin | Self-organized stationary states of inductively driven tokamaks |
| P5.186 | S. Lazerson | Improvement of energetic particle confinement through stellarator optimization |
| P5.187 | S. Espinosa | Theoretical explanation for strong poloidal impurity asymmetry in tokamak pedestals |
| P5.188 | A. Ram | Propagation of radio frequency waves through fluctuations in plasmas |
| P5.189 | W. Tang | New Physics Insights on Size-scaling of Confinement Enabled by Computing at Extreme Scale |
| P5.190 | C. Kim | Dependence of the phase velocity on the turbulent energy flux for the resistive-drift plasma fluctuations |
| P5.191 | I. Senichenkov | Role of electric field in the formation of detached regime |
| P5.192 | S. Krasheninnikov | On divertor detachment and detachment stability |
| P5.193 | L. Vermare | Comparison of perpendicular flows between Doppler backscattering measurements and flux driven gyrokinetic simulations |
| P5.194 | J. Kim | Accuracy study for two-point measurement of density fluctuation correlation length and its practical use |
| P5.195 | J.Y. Kim | Modeling of core-edge coupling and its influence of energy confinement time dependency on input power in H-mode plasmas |
| P5.201 | B. Sharkov | Heavy Ion Inertial Fusion Related Experiments at Large Heavy Ion Synchrotron Facility |
| P5.202 | M. Shoucri | A Vlasov-code simulation of the amplification of seed pulses by Brillouin backscattering in plasmas |
| P5.203 | T. Song | Design and Experimental Study of a Clean X-ray Radiation Source for High Energy Density Physics |
| P5.204 | F. Mollica | Direct, real-time and sensitive plasma density diagnostic by quadriwave lateral shearing interferometry |
| P5.205 | S. Ter-Avetisyan | MeV negative ion and neutral atom beam generation |
| P5.206 | C. Ticos | Electron acceleration in gas jet at the CETAL Petawatt Laser Facility |
| P5.207 | Z. Toroker | Backward Raman amplification in extended regimes of pump pulse parameters |
| P5.208 | A. Tramontana | A transport beamline solution to control optically accelerated proton beams |
| P5.209 | R. Trines | A plasma compressor for ultrahigh HED physics driven by laser pulses with orbital angular momentum |
| P5.210 | M. Vranic | Intense laser propagation through underdense plasma channels with radiation reaction |

| | | |
|--------|--------------------|---|
| P5.211 | F. Wagner | Temporal contrast control at the PHELIX laser facility |
| P5.212 | W. Wang | Multispectral x-ray imaging for imploded core temperature observation |
| P5.213 | A. Woldegeorgis | Observation of terahertz radiation from a laser-driven ion accelerator by Smith-Purcell effect |
| P5.214 | G. Wurden | Short-pulse thin-foil neutron generation experiments using the PHELIX laser |
| P5.215 | B. Xu | The research of RM instability with radiatively driven shock |
| P5.216 | X. Yang | Propagation of intense laser pulses in strongly magnetized plasmas |
| P5.217 | J. Yang | Studies of the x-ray emission spectra from the low-density non-LTE Al plasmas in intense radiation |
| P5.218 | R. Yi | Hot-electron generation by laser-plasma interactions in UN hohlraums |
| P5.219 | D. Casas | Slowing-down of proton beams in plasmas with non-uniform features |
| P5.220 | W. Rozmus | Radiative heat transport instability in ICF plasmas |
| P5.221 | V. Bychenkov | Multi-parametric study of ion energy scaling under optimum conditions of laser plasma acceleration |
| P5.222 | S. Ghasemi | Improved non-isobaric relations for shock ignition fusion |
| P5.223 | P. McKenna | Collective electron dynamics in relativistically transparent laser-foil interactions |
| P5.224 | F. Del Gaudio | Numerical simulations of disruption effects from the interaction of electron-positron beams |
| P5.225 | M. Afshari | Study of Hot Electron production in SI-relevant regime |
| P5.301 | S. Ponyaev | Generation of plasma jets by small-size railguns |
| P5.302 | N. Sakudo | Effect of bias voltage for plasma immersion implantation on the plasma potential |
| P5.303 | C. Samir | Effect of electron temperature on magnetized plasma sheaths contaminated by multi-sized impurities |
| P5.304 | D. Seok | Surface Dielectric Barrier Discharge for Powder Material Surface |
| P5.305 | D. Tsyhanou | Conversion of methane to C ₂ hydrocarbons and hydrogen using microwave 'tornado'-type plasma |
| P5.306 | M. Vasiliev | Microwave plasma treatment on bacterial and eukaryotic cells |
| P5.307 | E. Apfelbaum | The calculations of electronic transport coefficients and pressure in Fe plasma |
| P5.308 | Y. Arkhipov | Collective properties of one-component plasmas |
| P5.309 | X. Koss | Analysis of the melting point of two- and three-dimensional Yukawa crystals |
| P5.310 | X. Koss | Phase transitions in small systems with the screened Coulomb interaction potential |
| P5.311 | P. Ludwig | Dust potential in a flowing magnetized plasma taking into account non-Maxwellian ions |
| P5.312 | F. van de Wetering | Interaction of nanosecond UV laser pulses with complex plasmas |
| P5.401 | T. Morozova | Dust-acoustic shocks in plasmas containing variable-charge impurities |

| | | |
|--------|-----------------|---|
| P5.402 | Z. Osmanov | On the novel mechanism of particle acceleration |
| P5.403 | J. Rubiano | Study of the solar opacity using a collisional-radiative model based on the average ion model. |
| P5.404 | L. Siddi | Mesh-free formulation of two dimensional Darwin model |
| P5.405 | D. Speirs | Numerical simulations of astrophysical cyclotron-maser emission |
| P5.406 | F. Doveil | A TWT-Upgrade to study wave-particle interactions |
| P5.407 | I.S. El-Kamash | Ion Acoustic Wavepackets in Plasmas with Positive and Negative Ions |
| P5.408 | E. Gospodchikov | Theory of the ordinary and extraordinary mode coupling in fluctuating plasmas |
| P5.409 | A. Kuratov | Terahertz surface wave generation by high-intensity laser pulse along a metal wire |
| P5.410 | M. Usachonak | Investigation of the O-mode anomalous absorption in the UH resonance |
| P5.411 | F. Zonca | Spontaneous excitation of convective cells by kinetic Alfvén waves |
| P5.412 | V. Sinhe | Radiation spectra from particle in cell (PIC) simulations of counter-propagating magnetized plasmas |